Nano-Sized Particles in the Environment: Fate, Transport and Potential Impacts to Ecosystem Health

Bridging NanoEHS Research Efforts: A Joint US-EU Workshop

Pedro J.J. Alvarez

11 March 2011

Growth of Nano-Related Publications
(3-year doubling time)



Source: Web of Science

Microbial-nanoparticle Interactions to Inform Risk Assessment



- Bacteria are at the foundation of all ecosystems, and carry out many ecosystem services
- Disposal/discharge can disrupt primary productivity, nutrient cycles, biodegradation, agriculture, etc.
- Antibacterial activity may be fast-screening indicator of toxicity to higher level organisms (*microbial sentinels*?)

Bacterial Toxicity Mechanisms



Nanoparticle Modifications in the Environment



Alvarez P.J.J., V. Colvin, J. Lead and V. Stone (2009). Research Priorities to Advance Eco-Responsible Nanotechnology. ACS Nano 3(7): 1616-1619.

NOM reduces bioavailability & toxicity of nC_{60}



nC_{60} trapped by humic colloids



Humic acid concentrations as low as 0.1 mg/L eliminated toxicity

Li, D., Lyon D.Y., Q. Li, and P.J.J. Alvarez (2008). Environ. Toxicol. Chem. 27(9):1888-1894

Dissolved NOM Enhances C_{60}

- *Dispersed C_{60} was measured as dissolved TOC*





Li, Q. et al., ES&T, 2009, 43(10): 3574-3579.

Dissolved NOM Decreases nC_{60} Deposition onto a Quartz Surface, Increases Mobility in Water

Quartz Crystal Micro Balance







Bioavailability and Toxicity: nAg Example

Ag^+ is released only if nAg(0) is oxidized: $4Ag^0 + O_2 + 4H^+ \leftrightarrow 4Ag^+ + 2H_2O$

(Solubility of $Ag^0 \approx 0$)



Nanomaterials: **B**ioavailability and **E**nvironmental **E**xposure (funded by USEPA & NERC)

Cl^-, S^{2-}, Cysteine, CO_3^{2-}, HCO_3^-, SO_4^{2-}, PO_4^{3-}

Complexation? Precipitation?

Risk = Hazard × Exposure

Hazard, but no exposure

Exposure but no hazard

Hazard as well as exposure

International Workshop on Priorities to Advance the Eco-Responsible Design and Disposal of ENMs (Rice University, March 9-10, 2009)

What critical knowledge gaps and opportunities exist to inform and advance the design of environmentally benign ENMs and the management of wastes containing them?

Towards Ecoresponsible Nanotechnology



Alvarez P.J.J., V. Colvin, J. Lead and V. Stone (2009). Research Priorities to Advance Eco-Responsible Nanotechnology. ACS Nano 3(7): 1616-1619.